

Chart # _____

BOTOX® Reimbursement Solutions

PATIENT AUTHORIZATION FOR RELEASE OF INFORMATION

FOR INSURANCE, REIMBURSEMENT, AND COVERAGE ASSISTANCE

State and federal laws protect the confidentiality of your medical information. When you sign this form, you are giving your physician permission to release confidential medical information to BOTOX® reimbursement solutions, including Allergan, to review and assess your insurance, reimbursement, and coverage for BOTOX® and BOTOX® related procedures.

You are also giving BOTOX® reimbursement solutions, including Allergan and its employees, permission to release confidential medical information to insurance companies that we contact on your behalf, for this purpose. Such information may include your name, age, sex, medical diagnosis, insurance identifiers, employers, or medical providers you identify.

Please sign this form after reading the statement below:

I, _____, authorize my physician to release confidential medical information, on my behalf to BOTOX® reimbursement solutions, including Allergan and its employees in order to evaluate my insurance, reimbursement, and coverage for BOTOX®. BOTOX® reimbursement solutions also may contact my employer and/or medical provider(s), specifically Consultants in Neurology, PC, to complete my request. I verify that I have provided my medical information voluntarily and that BOTOX® reimbursement solutions will not release this oral or written information without my consent. In addition, I understand that BOTOX® reimbursement solutions cannot guarantee that the third parties contacted will keep my information confidential. I also understand that the third parties BOTOX® reimbursement solutions contacts may reside in states other than my own and may have a different set of confidentiality laws to follow. This authorization will remain in effect until I no longer need assistance from BOTOX® reimbursement solutions or until I revoke the authorization by calling or writing BOTOX® reimbursement solutions.

Signature

Date

Phone: _____
(area code)

By signing below I acknowledge that I have received a copy of **Botox Instructions**, information on **Partnership for Access Program, Medication Guide** and **“What is a Specialty Pharmacy”** or been given information on how to go to the website to get the above listed information.

Signature

Date

Botox Instructions

Today Dr Winegarner prescribed Botox for you. Below is the process to get approval from your insurance company. This process may take up to 45 days, depending on many factors. If at any time you are unsure if you want to proceed with or decide not to receive Botox, please contact our office **immediately** at 913-827-4241.

Here's what happens next:

1. **YOU** will need to read and sign a Botox Reimbursement Solutions Consent form
2. RNI Staff (Amber) will send this form to Botox Reimbursement Solutions **No action is required on your part**
3. Botox Reimbursement Solutions will check your insurance benefits. This step takes five to ten days. **No action is required on your part**
4. RNI Staff (Amber) will send information to your insurance company to obtain authorization for Botox. This step can take from thirty to forty-five days. **No action is required on your part**
5. When the authorization from your insurance company is received, it is sent by RNI Staff (Amber) along with the prescription to the specialty pharmacy that sells BOTOX. **No action is required on your part**
6. Once the specialty pharmacy determines that everything is a go (this may take a few weeks)...they will call **YOU** to discuss your benefits for Botox medication and to arrange for payment of any co-pays, deductibles and/or co-insurance. Also, **YOU** have to authorize that it is okay to ship BOTOX to RNI. **YOU MUST ANSWER THE PHONE WHEN THEY CALL OR RETURN THEIR CALL AS SOON AS POSSIBLE.** When you speak to the specialty pharmacy, you should ask to have the Botox shipped as soon as possible. We will not schedule any appointments for any injections until we receive the Botox in our office. **Once Botox is shipped, it CAN NOT be returned.**
7. The specialty pharmacy will contact RNI Staff (Amber) and confirm our address and arrange delivery. **No action is required on your part**
8. Once we receive your Botox in our office, **WE WILL CALL YOU** to set up your appointment time at the next available opening. This is typically within 1-2 weeks after receiving your Botox. These appointments are always on Fridays. **No action is required on your part**
9. If you have any questions in the meantime, please email me at: asmith@neurokc.com
10. I have included some information for "**Partnership for Access Program**" thru Allergan. This is a program that may help with your out-of-pocket costs. You may go online to : www.BOTOXMedical.com or call them at 1-800-442-6869, Option 4.

What is a Specialty Pharmacy Provider?

A Specialty Pharmacy Provider (SPP) is an outside company that contracts with some payers to provide specialty pharmaceutical drugs. Specialty pharmaceutical drugs are usually prescribed for patients with certain medical issues and typically given by injection. These drugs may have special handling and inventory control requirements.



Your doctor and you are responsible for the following if an SPP is used to obtain your specialty drug.

Your doctor's SPP responsibilities

- Determine your benefits
- Order the prescription through the SPP
- Contact you to schedule your appointment (once your doctor's office has received the drug)
- Take care of most of the paperwork



Your SPP responsibilities

- An SPP may contact you to:
 - Confirm your drug order
 - Schedule a delivery date to have the drug shipped directly to your doctor's office
 - Collect your co-pay or deductible



If you have any questions about the use of an SPP to obtain your specialty pharmaceutical drugs, please call: 1-800-44-BOTOX, Option 4.

IMPORTANT SAFETY INFORMATION

BOTOX® (onabotulinumtoxinA) may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX®:

- **Problems swallowing, speaking, or breathing**, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months
- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice (dysphonia), trouble saying words clearly (dysarthria), loss of bladder control, trouble breathing, trouble swallowing. **If this happens, do not drive a car, operate machinery, or do other dangerous activities**

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX® has been used at the recommended dose to treat chronic migraine, severe underarm sweating, blepharospasm, or strabismus.

Do not take BOTOX® if you: are allergic to any of the ingredients in BOTOX® (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as *Myobloc®* (rimabotulinumtoxinB), *Dysport®* (abobotulinumtoxinA), or *Xeomin®* (incobotulinumtoxinA); have a skin infection at the planned injection site.

Indications

BOTOX® (onabotulinumtoxinA) is a prescription medicine that is injected into muscles and used:

- to treat leakage of urine (incontinence) in adults with overactive bladder due to neurologic disease who still have leakage or experience too many side effects after trying an anticholinergic medication in people 18 years and older.
- to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years or older
- to treat increased muscle stiffness in elbow, wrist, and finger muscles in people 18 years and older with upper limb spasticity
- to treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in people 16 years and older
- to treat certain types of eye muscle problems (strabismus) or abnormal spasm of the eyelids (blepharospasm) in people 12 years and older

BOTOX® is also injected into the skin to treat the symptoms of severe underarm sweating (severe primary axillary hyperhidrosis) when medicines used on the skin (topical) do not work well enough in people 18 years and older.

It is not known whether BOTOX® is safe or effective to prevent headaches in patients with migraine who have 14 or fewer headache days each month (episodic migraine).

Please see additional Indications and Important Safety Information about BOTOX® on reverse side.



Helpful tips for BOTOX® reimbursement

TIP #1

Treatments are generally covered by Medicare, Medicaid, and most health insurance plans for uses approved by the FDA

Timeline of BOTOX® indications approved by the FDA

YEAR	APPROVED USES
1989	Certain types of eye muscle problems in people 12 years and older
2000	Abnormal spasm of the eyelids in people 12 years and older Abnormal head position and neck pain in people 16 years and older
2004	Severe primary axillary hyperhidrosis that is inadequately managed with topical agents
2010	Upper limb spasticity Prophylaxis of headaches in patients with Chronic Migraine Increased muscle stiffness in elbow, wrist, and finger muscles in people 18 years and older Prevention of headaches in adults with Chronic Migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years or older

Please see full BOTOX® (onabotulinumtoxinA) indications below.

Indications

- BOTOX® is a prescription medicine that is injected into muscles and used:
- to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day in people 18 years or older
 - to treat increased muscle stiffness in elbow, wrist, and finger muscles in people 18 years and older with upper limb spasticity
 - to treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in people 16 years and older
 - to treat certain types of eye muscle problems (strabismus) or abnormal spasm of the eyelids (blepharospasm) in people 12 years and older

Please see additional indications and Important Safety Information about BOTOX® on adjacent pages and reverse side.

TIP #2

Programs are available to help you receive BOTOX® (onabotulinumtoxinA) treatment

Allergan, Inc., the maker of BOTOX® neurotoxin, is committed to helping patients receive the treatment they need, regardless of their financial situation. The following programs are available to help.

BOTOX PATIENT ASSISTANCE® Program

if you are uninsured (patients with no insurance) or underinsured (patients with inadequate insurance) and unable to afford your treatment, this program can help. To be eligible you must:

- Have a household income below a certain level
- Have a diagnosis supported by clinical studies



BOTOX® Partnership for Access Program

if you are insured and need help with your out-of-pocket treatment costs, this debit card can help. To be eligible you must:

- Currently be receiving BOTOX® for therapeutic uses
- Have an explanation of benefits (EOB) statement from your insurance company
- Not be enrolled in or eligible for Medicare, Medicaid, or any other state government health program

NOTE: Patients in Massachusetts are eligible only if uninsured or paying the entire cost of the BOTOX® related treatment themselves.

For more details on these programs, please visit BOTOXMedical.com.

Indications (continued)

BOTOX® is also injected into the skin to treat the symptoms of severe underarm sweating (severe primary axillary hyperhidrosis) when medicines used on the skin (topical) do not work well enough in people 18 years and older.

TIP #3

BOTOX® Reimbursement Solutions can help with your reimbursement questions

Friendly, knowledgeable Reimbursement Counselors at the BOTOX® Reimbursement Solutions Support Center can check with your insurance company for your specific insurance benefits and help provide answers to the following questions:

- Does my specific insurance plan cover BOTOX® (onabotulinumtoxinA) treatment for my condition?
- What is my financial responsibility or out-of-pocket cost?
- Do I qualify for any patient assistance programs?
- What information or paperwork is required to obtain reimbursement?

Visit us at BOTOXReimbursementSolutions.com, or call now to speak to a Reimbursement Counselor at 1-800-44-BOTOX, Option 4.

Indications (continued)

It is not known whether BOTOX® is safe or effective to prevent headaches in patients with migraine who have 14 or fewer headache days each month (episodic migraine).

It is not known whether BOTOX® is safe or effective for other types of muscle spasms or for severe sweating anywhere other than your armpits.

IMPORTANT SAFETY INFORMATION (continued)

The dose of BOTOX® is not the same as, or comparable to, another botulinum toxin product.

Serious and/or immediate allergic reactions have been reported. These reactions include itchy rash, swelling, and shortness of breath. Tell your doctor or get medical help right away if you experience any such symptoms; further injection of BOTOX® should be discontinued.



BOTOX® Reimbursement Solutions can help you...

IMPORTANT SAFETY INFORMATION (continued)

Do not take BOTOX® if you: are allergic to any of the ingredients in BOTOX® (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as *Mylabloc® Dysport®*, or *Xeomin®*; have a skin infection at the planned injection site.

Tell your doctor about all your muscle or nerve conditions such as amyotrophic lateral sclerosis (ALS or Lou Gehrig's disease), myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects including severe dysphagia (difficulty swallowing) and respiratory compromise (difficulty breathing) from typical doses of BOTOX®.

Tell your doctor about all your medical conditions, including if you have: plans to have surgery; had surgery on your face; weakness of forehead muscles, such as trouble raising your eyebrows; drooping eyelids; any other abnormal facial change; are pregnant or plan to become pregnant (it is not known if BOTOX® can harm your unborn baby); are breastfeeding or plan to breastfeed (it is not known if BOTOX® passes into breast milk).

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal products.

BOTOX® may cause loss of strength or general muscle weakness, or vision problems. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.**

Please see additional Important Safety Information on adjacent pages and inside brochure.

IMPORTANT SAFETY INFORMATION (continued)

Other side effects of BOTOX® include: dry mouth, discomfort or pain at the injection site, tiredness, headache, neck pain, and eye problems: double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes.

For more information refer to the Medication Guide or talk with your doctor. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Full Product Information, including Medication Guide, has been provided to your doctor.



For more information, visit us online at BOTOXReimbursementSolutions.com

OR



Call 1-800-44-BOTOX, Option 4, to speak to a Reimbursement Counselor

Get the BOTOX® (onabotulinumtoxinA) treatment you need

Helpful information on reimbursement and financial assistance programs

IMPORTANT SAFETY INFORMATION

BOTOX® may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX®:

- **Problems swallowing, speaking, or breathing,** due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months
- **Spread of toxin effects.** The effect of botulinum toxin may affect areas away from the injection site and cause serious symptoms including: loss of strength and all-over muscle weakness, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice (dysphonia), trouble saying words clearly (dysarthria), loss of bladder control, trouble breathing, trouble swallowing

There has not been a confirmed serious case of spread of toxin effect away from the injection site when BOTOX® has been used at the recommended dose to treat chronic migraine, severe underarm sweating, blepharospasm, or strabismus.

Please see indications and additional Important Safety Information about BOTOX® inside and on back of brochure.



ALLERGAN
©2011 Allergan, Inc. Irvine, CA 92612. *marks owned by Allergan, Inc.
BOTOX is a registered trademark of Ipsen Biopharm Limited.
BOTOX is a registered trademark of Allergan, Inc.
Xeomin is a registered trademark of Menzies Pharmaceuticals, Inc.
www.BOTOXSolutions.com www.BOTOXSolutions.com
1-800-44-BOTOX AD-1712/11-11 11/2011



MEDICATION GUIDE
BOTOX®
BOTOX® Cosmetic
(Boe-tox)
(onabotulinumtoxinA)
for Injection

Read the Medication Guide that comes with **BOTOX** or **BOTOX Cosmetic** before you start using it and each time it is given to you. There may be new information. This information does not take the place of talking with your doctor about your medical condition or your treatment. You should share this information with your family members and caregivers.

What is the most important information I should know about BOTOX and BOTOX Cosmetic?

BOTOX and BOTOX Cosmetic may cause serious side effects that can be life threatening, including:

- **Problems breathing or swallowing**
- **Spread of toxin effects**

These problems can happen hours, days, to weeks after an injection of BOTOX or BOTOX Cosmetic. Call your doctor or get medical help right away if you have any of these problems after treatment with BOTOX or BOTOX Cosmetic:

1. Problems swallowing, speaking, or breathing. These problems can happen hours, days, to weeks after an injection of BOTOX or BOTOX Cosmetic usually because the muscles that you use to breathe and swallow can become weak after the injection. Death can happen as a complication if you have severe problems with swallowing or breathing after treatment with **BOTOX** or **BOTOX Cosmetic**.

- People with certain breathing problems may need to use muscles in their neck to help them breathe. These people may be at greater risk for serious breathing problems with **BOTOX** or **BOTOX Cosmetic**.
- Swallowing problems may last for several months. People who cannot swallow well may need a feeding tube to receive food and water. If swallowing problems are severe, food or liquids may go into your lungs. People who already have swallowing or breathing problems before receiving **BOTOX** or **BOTOX Cosmetic** have the highest risk of getting these problems.

2. Spread of toxin effects. In some cases, the effect of botulinum toxin may affect areas of the body away from the injection site and cause symptoms of a serious condition called botulism. The symptoms of botulism include:

- loss of strength and muscle weakness all over the body
- double vision
- blurred vision and drooping eyelids
- hoarseness or change or loss of voice (dysphonia)
- trouble saying words clearly (dysarthria)
- loss of bladder control
- trouble breathing
- trouble swallowing

These symptoms can happen hours, days, to weeks after you receive an injection of **BOTOX** or **BOTOX Cosmetic**.

These problems could make it unsafe for you to drive a car or do other dangerous activities. See "What should I avoid while receiving **BOTOX** or **BOTOX Cosmetic**?"

There has not been a confirmed serious case of spread of toxin effect away from the injection site when **BOTOX** has been used at the recommended dose to treat chronic migraine, severe underarm sweating, blepharospasm, or strabismus, or when **BOTOX Cosmetic** has been used at the recommended dose to treat frown lines and/or crow's feet lines.

What are BOTOX and BOTOX Cosmetic?

BOTOX is a prescription medicine that is injected into muscles and used:

- to treat overactive bladder symptoms such as a strong need to urinate with leaking or wetting accidents (urge urinary incontinence), a strong need to urinate right away (urgency), and urinating often (frequency) in adults when another type of medicine (anticholinergic) does not work well enough or cannot be taken.
- to treat leakage of urine (incontinence) in adults with overactive bladder due to neurologic disease when another type of medicine (anticholinergic) does not work well enough or cannot be taken.
- to prevent headaches in adults with chronic migraine who have 15 or more days each month with headache lasting 4 or more hours each day.
- to treat increased muscle stiffness in elbow, wrist, and finger muscles in adults with upper limb spasticity.
- to treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in adults.
- to treat certain types of eye muscle problems (strabismus) or abnormal spasm of the eyelids (blepharospasm) in people 12 years and older.

BOTOX is also injected into the skin to treat the symptoms of severe underarm sweating (severe primary axillary hyperhidrosis) when medicines used on the skin (topical) do not work well enough.

BOTOX Cosmetic is a prescription medicine that is injected into muscles and used to improve the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults for a short period of time (temporary).

BOTOX Cosmetic is a prescription medicine that is injected into the area around the side of the eyes to improve the look of crow's feet lines in adults for a short period of time (temporary).

You may receive treatment for frown lines and crow's feet lines at the same time.

It is not known whether **BOTOX** is safe or effective in people younger than:

- 18 years of age for treatment of urinary incontinence
- 18 years of age for treatment of chronic migraine
- 18 years of age for treatment of spasticity
- 16 years of age for treatment of cervical dystonia
- 18 years of age for treatment of hyperhidrosis
- 12 years of age for treatment of strabismus or blepharospasm

BOTOX Cosmetic is not recommended for use in children younger than 18 years of age.

It is not known whether **BOTOX** and **BOTOX Cosmetic** are safe or effective to prevent headaches in people with migraine who have 14 or fewer headache days each month (episodic migraine).

It is not known whether **BOTOX** and **BOTOX Cosmetic** are safe or effective for other types of muscle spasms or for severe sweating anywhere other than your armpits.

Who should not take BOTOX or BOTOX Cosmetic?

Do not take **BOTOX** or **BOTOX Cosmetic** if you:

- are allergic to any of the ingredients in **BOTOX** or **BOTOX Cosmetic**. See the end of this Medication Guide for a list of ingredients in **BOTOX** and **BOTOX Cosmetic**.
- had an allergic reaction to any other botulinum toxin product such as *Myobloc*®, *Dysport*®, or *Xeomin*®
- have a skin infection at the planned injection site
- are being treated for urinary incontinence and have a urinary tract infection (UTI)
- are being treated for urinary incontinence and find that you cannot empty your bladder on your own (only applies to people who are not routinely catheterizing)

What should I tell my doctor before taking BOTOX or BOTOX Cosmetic?

Tell your doctor about all your medical conditions, including if you:

- have a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig's disease], myasthenia gravis or Lambert-Eaton syndrome). See "What is the most important information I should know about BOTOX and BOTOX Cosmetic?"
- have allergies to any botulinum toxin product
- had any side effect from any botulinum toxin product in the past
- have or have had a breathing problem, such as asthma or emphysema
- have or have had swallowing problems
- have or have had bleeding problems
- have plans to have surgery
- had surgery on your face
- have weakness of your forehead muscles, such as trouble raising your eyebrows
- have drooping eyelids
- have any other change in the way your face normally looks
- have symptoms of a urinary tract infection (UTI) and are being treated for urinary incontinence. Symptoms of a urinary tract infection may include pain or burning with urination, frequent urination, or fever.
- have problems emptying your bladder on your own and are being treated for urinary incontinence
- are pregnant or plan to become pregnant. It is not known if BOTOX or BOTOX Cosmetic can harm your unborn baby.
- are breast-feeding or plan to breastfeed. It is not known if BOTOX or BOTOX Cosmetic passes into breast milk.

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins and herbal products. Using BOTOX or BOTOX Cosmetic with certain other medicines may cause serious side effects. **Do not start any new medicines until you have told your doctor that you have received BOTOX or BOTOX Cosmetic in the past.**

Especially tell your doctor if you:

- have received any other botulinum toxin product in the last four months
- have received injections of botulinum toxin, such as *Myobloc*[®] (rimabotulinumtoxinB), *Dysport*[®] (abobotulinumtoxinA), or *Xeomin*[®] (incobotulinumtoxinA) in the past. Be sure your doctor knows exactly which product you received.
- have recently received an antibiotic by injection
- take muscle relaxants
- take an allergy or cold medicine
- take a sleep medicine
- take anti-platelets (aspirin-like products) and/or anti-coagulants (blood thinners)

Ask your doctor if you are not sure if your medicine is one that is listed above.

Know the medicines you take. Keep a list of your medicines with you to show your doctor and pharmacist each time you get a new medicine.

How should I take BOTOX or BOTOX Cosmetic?

- BOTOX or BOTOX Cosmetic is an injection that your doctor will give you.
- BOTOX is injected into your affected muscles, skin, or bladder.
- BOTOX Cosmetic is injected into your affected muscles.
- Your doctor may change your dose of BOTOX or BOTOX Cosmetic, until you and your doctor find the best dose for you.
- **Your doctor will tell you how often you will receive your dose of BOTOX or BOTOX Cosmetic injections.**

What should I avoid while taking BOTOX or BOTOX Cosmetic?

BOTOX and BOTOX Cosmetic may cause loss of strength or general muscle weakness, or vision problems within hours to weeks of taking BOTOX or BOTOX Cosmetic. **If this happens, do not drive a car, operate machinery, or do other dangerous activities.** See "What is the most important information I should know about BOTOX and BOTOX Cosmetic?"

What are the possible side effects of BOTOX and BOTOX Cosmetic?

BOTOX and BOTOX Cosmetic can cause serious side effects. See "What is the most important information I should know about BOTOX and BOTOX Cosmetic?"

Other side effects of BOTOX and BOTOX Cosmetic include:

- dry mouth
- discomfort or pain at the injection site
- tiredness
- headache
- neck pain
- eye problems: double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes.
- urinary tract infection in people being treated for urinary incontinence
- painful urination in people being treated for urinary incontinence
- inability to empty your bladder on your own and are being treated for urinary incontinence. If you have difficulty fully emptying your bladder after getting BOTOX, you may need to use disposable self-catheters to empty your bladder up to a few times each day until your bladder is able to start emptying again.
- allergic reactions. Symptoms of an allergic reaction to BOTOX or BOTOX Cosmetic may include: itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Tell your doctor or get medical help right away if you are wheezing or have asthma symptoms, or if you become dizzy or faint.

Tell your doctor if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of BOTOX and BOTOX Cosmetic. For more information, ask your doctor or pharmacist.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

General information about BOTOX and BOTOX Cosmetic:

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide.

This Medication Guide summarizes the most important information about BOTOX and BOTOX Cosmetic. If you would like more information, talk with your doctor. You can ask your doctor or pharmacist for information about BOTOX and BOTOX Cosmetic that is written for healthcare professionals.

What are the ingredients in BOTOX and BOTOX Cosmetic?

Active ingredient: botulinum toxin type A

Inactive ingredients: human albumin and sodium chloride

Revised: 09/2013

This Medication Guide has been approved by the U.S. Food and Drug Administration.

Manufactured by: Allergan Pharmaceuticals Ireland

a subsidiary of: Allergan, Inc.

2525 Dupont Dr.

Irvine, CA 92612

© 2014 Allergan, Inc.

* marks owned by Allergan, Inc.

Patented. See: www.allergan.com/products/patent_notices

Myobloc[®] is a registered trademark of Solstice Neurosciences, Inc.

Dysport[®] is a registered trademark of Ipsen Biopharm Limited Company.

Xeomin[®] is a registered trademark of Merz Pharma GmbH & Co KGaA.



Based on 72284US16
APC08TN13